

# WX1000





## FEATURES

- Profile:**
- European.
  - Certified to EN:1303:2015, meeting and exceeding this standard.
- Body:**
- Made of extruded brass.
  - Nickel matt or brass finishes available.
- Security systems:**
- Triple anti-bumping protection. Innovative double pin and double spring system.
  - Reinforced anti-snap bar, made of stainless steel and fixed to the cylinder's body with 4 stainless steel bolts.
  - Maximum antidrill protection with pins fitted inside the front of the body and additional anti-drill steel pins inside.
  - Antipick protection.
- Internal elements:**
- 16 active pins, all of them able for master keying, with millions of differs.
- Cam:**
- Available in Standard DIN cam (15 mm) and short cam (13 mm).
- Range:**
- Standard cylinders, half cylinders, cylinders with adjustable axis, thumb turn cylinders, cylinders with adjustable tab for doors with panic bars and cylinders with adjustable cam angle.
- Keys:**
- Security dimple keys. Key profile patented by IFAM (no. 2.061.242).
  - Silver nickel keys with bow over-moulded with high strength ABS resin for a comfortable use.
  - Supplied with 5 keys.
  - Supplied with property card with the CCS (Control Code System) security system. This guarantees a maximum security level, control and traceability of key-duplications.
- Packaging:**
- Boxed.

# WX1000

## DIMENSIONS



Ref.	Cod.	Cl.	A	A	B	Uni.
<b>CAM 15mm. Box.</b>						
1000WX1030L	060100	■	40	10	30	6
1000WX1030N	060110	■	40	10	30	6
1000WX3030L	060200	■	60	30	30	6
1000WX3030N	060210	■	60	30	30	6
1000WX3035L	060300	■	65	30	35	6
1000WX3035N	060310	■	65	30	35	6
1000WX3040L	060400	■	70	30	40	6
1000WX3040N	060410	■	70	30	40	6
1000WX3045L	060500	■	75	30	45	6
1000WX3045N	060510	■	75	30	45	6
1000WX3050L	060600	■	80	30	50	6
1000WX3050N	060610	■	80	30	50	6
1000WX3060L	060800	■	90	30	60	6
1000WX3060N	060810	■	90	30	60	6
1000WX3070L	060900	■	100	30	70	6
1000WX3070N	060910	■	100	30	70	6
1000WX3535L	061000	■	70	35	35	6
1000WX3535N	061010	■	70	35	35	6
1000WX3540L	061100	■	75	35	40	6
1000WX3540N	061110	■	75	35	40	6
1000WX3545L	061160	■	80	35	45	6
1000WX3545N	061170	■	80	35	45	6
1000WX4040L	061400	■	80	40	40	6
1000WX4040N	061410	■	80	40	40	6
1000WX4050L	061600	■	90	40	50	6
1000WX4050N	061610	■	90	40	50	6
1000WX4060L	061700	■	100	40	60	6
1000WX4060N	061710	■	100	40	60	6
1000WX4545L	061800	■	90	45	45	6
1000WX4545N	061810	■	90	45	45	6
1000WX5050N	061910	■	100	50	50	6


Ref.	Cod.	Cl.	A	A	B	Uni.
<b>CAM 13mm. Box. </b>						
1000WX1030NC	060160	■	40	10	30	6
1000WX3030LC	060250	■	60	30	30	6
1000WX3030NC	060260	■	60	30	30	6
1000WX3040LC	060450	■	70	30	40	6
1000WX3040NC	060460	■	70	30	40	6
1000WX3535LC	061050	■	70	35	35	6
1000WX3535NC	061060	■	70	35	35	6
1000WX4040LC	061450	■	80	40	40	6
1000WX4040NC	061460	■	80	40	40	6

Ref.	Cod.	Cl.	A	A	B	Uni.
<b>THUMB TURN. CAM 15mm. Box. </b>						
1000WXP3030L	060202	■	60	30	30	6
1000WXP3030N	060212	■	60	30	30	6
1000WXP3035N	060312	■	65	30	35	6
1000WXP3040L	060402	■	70	30	40	6
1000WXP3040N	060412	■	70	30	40	6
1000WXP3050L	060602	■	80	30	50	6
1000WXP3050N	060612	■	80	30	50	6
1000WXP3530L	060982	■	65	35	30	6
1000WXP3530N	060992	■	65	35	30	6
1000WXP3535L	061002	■	70	35	35	6
1000WXP3535N	061012	■	70	35	35	6
1000WXP3545L	061162	■	80	35	45	6
1000WXP4030L	061302	■	70	30	40	6
1000WXP4030N	061312	■	70	30	40	6
1000WXP4040L	061402	■	80	40	40	6
1000WXP4040N	061412	■	80	40	40	6
1000WXP4050N	061612	■	90	40	50	6
1000WXP3060N	060812	■	100	30	40	6
1000WXP3060L	060802	■	100	30	40	6
1000WXP3070N	060912	■	100	30	70	6
1000WXP5030L	061882	■	80	50	30	6
1000WXP5030N	061892	■	80	50	30	6
<b>THUMB TURN. CAM 13mm. Box. </b>						
1000WXP3030LC	060252	■	60	30	30	6
1000WXP3030NC	060262	■	60	30	30	6
1000WXP3040LC	060452	■	70	30	40	6
1000WXP3040NC	060462	■	70	30	40	6
1000WXP3535LC	061052	■	70	35	35	6
1000WXP3535NC	061062	■	70	35	35	6
1000WXP4040LC	061452	■	80	40	40	6
1000WXP4040NC	061462	■	80	40	40	6




To be continued in next page


# WX1000

### DIMENSIONS














CYLINDERS WITH ADJUSTABLE TAB (FOR DOORS WITH PANIC)

Ref.	Cod.	Cl.	L	A	B	Uni.
<b>CAM 15mm. Box. </b>						
1000WX1030LR	060108		40	10	30	1
1000WX1030NR	060118		40	10	30	1






CYLINDERS WITH ADJUSTABLE AXIS

Ref.	Cod.	Cl.	L	A	B	Uni.
<b>CAM 15mm. Box. </b>						
1000WXE3030L	060206		60	30	30	1
1000WXE3030N	060216		60	30	30	1
1000WXE3035N	060316		65	30	35	1
1000WXE3040L	060406		70	30	40	1
1000WXE3040N	060416		70	30	40	1
1000WXE3045L	060506		75	30	45	1
1000WXE3045N	060516		75	30	45	1
1000WXE3050N	060616		80	30	50	1
1000WXE3060N	060716		90	30	60	1
1000WXE3070N	060816		100	30	70	1



CYLINDERS WITH ADJUSTABLE CAM ANGLE

Ref.	Cod.	Cl.	L	A	B	Uni.
<b>CAM 15mm. Box. </b>						
1000WX1030LA	060103		40	10	30	1
1000WX1030NA	060113		40	10	30	1